

I333 Manual

Features:

Innovative futuristic TRON design
Utilizes CREE XPL LED with a lifespan of 100,000 hours
Powered by rechargeable 18650 Li-ion battery
Precision micro-textured reflector creates smooth, optimized beam
Max output up to 1,100 lumens
Max beam distance up to 283 meters
Max runtime up to 325 hours
Micro USB rechargeable
Tactical tail switch and side e-switch
User-friendly operation, direct access to turbo
Toughened ultra-clear mineral glass lens with anti-reflective coating
Battery level indicator detects battery voltage
Advanced temperature regulation (ATR) technology
Digitally regulated output maintains constant brightness
Reverse polarity protection
High-strength aerospace aluminum body
Mil-Spec hard-anodized for extreme durability
Impact resistance 1.5 meters
Waterproof level IPX8
Nice gift box

Size

Length: 158.6mm
Bezel diameter: 31.6mm
Tail diameter: 27.6mm

Accessory

Rechargeable 18650 Li-ion battery
Micro USB braided cable
Spare O-ring, Lanyard, Manual

Weight

171g

Battery Option

Type	Dimension	Nominal Voltage	Usability	
Rechargeable Li-ion	18650	3.7V	Recommended (Rechargeable)	√√
Lithium battery	CR123	3V	Usable (Not Rechargeable)	√


Brightness & Runtime

FL1 Standard	Turbo	High	Med	Low	Moon
	1100 Lumens	330 Lumens	165 Lumens	22 Lumens	2.5 Lumens
	1.4h	3h	8.1h	70.8h	325h
	283m (Beam Distance)				
	1.5m (Impact Resistance)				
	IPX8 2m underwater				

Operation instructions

Battery Installation

Insert one 18650 battery or two CR123 batteries with the positive pole pointing towards the flashlight head.



ON/OFF: Press the button on the tail cap. After a “click” is heard, the flashlight can be turned on or off.

Momentary ON: Half press the tail cap and hold - the flashlight will be on; release the finger - it will be off.

Mode Switching


When the flashlight is on, click the side e-switch to change the mode from Turbo-High-Mid-Low-Moon.

It starts at turbo by default, no memory function. Double click for hidden mode: Fast strobe; another double click for SOS; single click back to last used normal mode. Long press and hold at any mode to access turbo; release to return to last used normal mode.


Charging

Connect the flashlight to any power supply, such as computer, laptop, phone charger, car charger, etc. It takes about 3.5 hours to fully charge from empty.

NOTE: Please click the tail switch while charging, otherwise it will not charge and the LED indicator blinks blue light.



Battery level indicator



Battery power left $\geq 50\%$ - “W” symbol shows constant blue light.

<50% - “W” symbol shows constant red light.

<30% - “W” symbol shows blinking red light, it reminds you to charge the battery in time.

Maintenance

Every 6 months, threads should be wiped with a clean cloth followed by a thin coating of silicon-based lubricant.

Warranty

Category	Warranty Period
Flashlight, necklace light, headlamp, bike light, camp light, etc (Battery removable)	5 years
Flashlight, necklace light, headlamp, bike light, camp light, etc (Integrated battery)	2 years
Rechargeable battery, charger, remote controller	1year

Free replacement: Wuben will replace a new product within 15 days of purchase for any manufacturing defects if problems arise during normal use.

Free repair: Wuben offers free repair if the product is within warranty period.

Limited lifetime warranty: For product expires warranty period, Wuben provides lifetime repair but will charge for parts.

The free repair does not cover any damages or failure caused by:

1. Artificial damage, disassemble, mod, etc.
 2. Normal use and wear.
 3. Wrong or rough operation.
 4. Battery leakage or wrong use of battery.
 5. Other artificial factors or natural disasters
-